


**FLOORCOVERING FINISH NOTES**

FLOORCOVERING MATERIALS ARE IDENTIFIED ON BOTH THE ROOM FINISH SCHEDULE AND ON THE ATTACHED FLOORCOVERING DISTRIBUTION PLAN. THE COMPLEXITY OF FINISHES/MATERIALS ARE CLARIFIED ON THE DISTRIBUTION PLANS BY ONE OF THE SYMBOLS NOTED BELOW:



- CARPET MODULE TILE**  
CPT - CARPET MODULE TILE  
AREAS DESIGNATED AS CPT SHALL RECEIVE INTERFACE, BIODIVERSITY COLLECTION, STYLE: 123490259H PRAIRIE GRASS 232, 50CM X 50CM  
COLOR: 9306 DELTA (CORRIDORS), INSTALL ASHLAR.  
INTERFACE FLOOR: BIOSCAPES COLLECTION, 1391002500 ESSENCE, COLOR: 7822 WARM SPRINGS (OFFICES), INSTALL MONOLITHICALLY.  
INTERFACE FLOOR: BIODIVERSITY COLLECTION, 123470250H BROADLEAF 222, COLOR: 9271 DELTA (CONFERENCE/ESCORT GATHERING), INSTALL MONOLITHICALLY.

- VINYL TILE, WEAR LAYER**  
VTW - VINYL TILE, WEAR LAYER  
AREAS DESIGNATED AS VTW SHALL RECEIVE ARTISTEK LUXURY VINYL PLANK  
COLOR: NATURAL TEXTURES COLLECTION, COLOR: 73017 SANTA FE (16"X18"). INSTALL IN QUARTER-TURN DIRECTION.  
UNLESS DESIGNATED ON THE DISTRIBUTION PLANS TO RECEIVE ANOTHER COLOR ILLUSTRATED BY ONE OF THE SYMBOLS BELOW.  
A COLOR: FORESTWOOD COLLECTION, NATURAL CHERRY 71134.

- CERAMIC TILE**  
CT - CERAMIC TILE  
AREAS DESIGNATED AS CT SHALL RECEIVE DALTILE, SALERNO  
COLOR: CREMONA CAFFE SL82 (12"X12" FIELD TILE).  
SPECIAL INSTRUCTIONS: GROUT SHALL BE MORTAMIX LIGHT BUFF (N) 7LT. FLOOR AND WALL TILE SHALL MEET AT A 90 DEGREE ANGLE - NO COVE BASE PIECE SHALL BE USED.

- PORCELAIN PAVER TILE**  
PPT - PORCELAIN PAVER TILE  
AREAS DESIGNATED AS PPT SHALL RECEIVE AMERICAN OLEAN, INFUSION (24" X 24")  
COLOR: GRAY WENGE IF65 (FIELD).  
UNLESS DESIGNATED ON THE DISTRIBUTION PLANS TO RECEIVE ANOTHER COLOR ILLUSTRATED BY ONE OF THE SYMBOLS BELOW.  
A AMERICAN OLEAN, INFUSION (12" X 24"), COLOR: WHITE WENGE IF60 (ACCENT).  
B AMERICAN OLEAN, INFUSION (12" X 24"), COLOR: BLACK WENGE IF66 (ACCENT).

- FLOOR MATS & FRAMES**  
AREAS DESIGNATED AS FM SHALL RECEIVE THE MAT WORKS, CUSTOM FIBER WALK-OFF, 19.5" X 19.5" TILE  
PATTERN: DREADNOUGHT, COLOR: CHARCOAL DR01.  
SPECIAL INSTRUCTIONS: THIS PRODUCT IS USED IN CONJUNCTION WITH LOBBY REVOLVING DOOR.

- RUBBER BASE**  
AREAS TO RECEIVE RB SHALL RECEIVE JOHNSONITE COVE BASE, (4" HIGH)  
COLOR: ZEPHYR 31.

- METAL BASE**  
AREAS TO RECEIVE MTL SHALL RECEIVE FORMS + SURFACES, STAINLESS STEEL/ECO ETCH, FINISH: SEAGRASS  
PATTERN: SEAGRASS.

- TRANSITION STRIPS**  
TRANSITION STRIPS FROM CARPET TO A DISSIMILAR MATERIAL SHALL BE JOHNSONITE, COLOR: T8D.

- THE CONTRACTOR SHALL SUBMIT TO THIS OFFICE ACTUAL SAMPLES IN TRIPLICATE, OF EACH COLOR AND MATERIAL SELECTED BY THE DESIGNER FOR DESIGNER'S VERIFICATION AND APPROVAL NOT LATER THAN TWO (2) WEEKS FROM DATE OF CONTRACT. SAMPLES SHALL BE PROPERLY LABELED BY PROJECT AND CODE.

**WALL FINISH NOTES**

WALL FINISH MATERIALS ARE IDENTIFIED ON BOTH THE ROOM FINISH SCHEDULE AND ON THE ATTACHED WALL FINISH DISTRIBUTION PLAN. THE COMPLEXITY OF FINISHES/MATERIALS ARE CLARIFIED ON THE DISTRIBUTION PLANS BY ONE OF THE SYMBOLS NOTED BELOW:



- PAINT**  
AREAS DESIGNATED AS P-LL SHALL BE SHERWIN WILLIAMS, LOW LUSTER FINISH  
COLOR: SW6098 PACER WHITE (FIELD).  
EXCEPT THOSE WALLS DESIGNATED TO RECEIVE ANOTHER COLOR SO DESIGNATED BY THE SYMBOLS ILLUSTRATED BELOW.  
A COLOR: SW1519 FANTASIA (ACCENT).

- WALL PANEL**  
WP - WALL PANEL  
AREAS DESIGNATED AS WP SHALL RECEIVE FORMS + SURFACES, LEVEL E PANEL SYSTEM, FLOAT PANELS WITH CLEAR ALUMINUM INSIDE/OUTSIDE CORNERS.  
HPVL-A, VENEER-ART BY LAMIN-ART, COLOR: 925 AMERICAN CHERRY AND HPVL-B, 981 MODERN MAKORE. (SEE INTERIOR ELEVATIONS FOR COLOR DISTRIBUTION AND PANEL SIZES).  
EXCEPT THOSE WALLS DESIGNATED TO RECEIVE ANOTHER COLOR SO DESIGNATED BY THE SYMBOLS ILLUSTRATED BELOW.  
A FORMS + SURFACES, LEVEL E PANEL SYSTEM, ECO ETCH STAINLESS STEEL, FINISH: SATIN, PATTERN: SEAGRASS.

- PLASTIC WALLCOVERING**  
PWC - PLASTIC WALLCOVERING  
AREAS DESIGNATED AS PWC SHALL RECEIVE CIS ACROVYN.  
COLOR: 100 EGGSHELL.

- WALL TILE**  
CT - CERAMIC TILE  
AREAS DESIGNATED AS CT SHALL RECEIVE DALTILE, SALERNA.  
COLOR: CREMONA CAFFE SL82 (12"X12" FIELD TILE).  
EXCEPT THOSE WALLS DESIGNATED TO RECEIVE ANOTHER COLOR SO DESIGNATED BY THE SYMBOLS ILLUSTRATED BELOW.  
A COLOR: MARRONE CHIARO SL83 (12"X12" ACCENT TILE).  
B COLOR: UNIVERSAL BLOCK RANDOM SL87 (12"X12" ACCENT TILE).

- PORCELAIN PAVER TILE**  
AREAS DESIGNATED AS PPT SHALL RECEIVE AMERICAN OLEAN, INFUSION  
COLOR: WHITE WENGE IF60 (12" X 24" FIELD TILE).

- PORCELAIN PAVER TILE**  
AREAS DESIGNATED AS PPT SHALL RECEIVE AMERICAN OLEAN, INFUSION  
COLOR: WHITE WENGE IF60 (12" X 24" FIELD TILE).

- CONTRACTOR SHALL SUBMIT TO THIS OFFICE ACTUAL SAMPLES IN TRIPLICATE OF ALL COLORS, MATERIALS AND PATTERNS FOR DESIGNER'S VERIFICATION AND APPROVAL, NOT LATER THAN TWO (2) WEEKS FROM DATE OF CONTRACT. SIZE OF SAMPLES SHALL BE APPROXIMATELY 12"X2". SAMPLES SHALL BE PROPERLY LABELED BY PROJECT AND CODE AND SUBMITTED FOR APPROVAL PRIOR TO CONTRACTOR ORDERING MATERIAL.

**CASEWORK FINISH NOTES**

CASEWORK FINISHES/MATERIALS ARE IDENTIFIED ON BOTH THE CUSTOM CASEWORK DRAWINGS AND ON THE SCHEDULE BELOW:

- HPDL - PLASTIC LAMINATE**

CASEWORK DESIGNATED TO RECEIVE HPDL SHALL BE AS FOLLOWS:

WORK SURFACES: WILSONART, WILD CHERRY 7054-60, MATTE FINISH.

VERTICAL SURFACES: WILSONART, WILD CHERRY 7054-60, MATTE FINISH.

SPECIAL INSTRUCTIONS: WILSONART, REHAU EDGE BANDING, COLOR: WILD CHERRY 5904, 15/16" WIDTH.

- SSM - SOLID SURFACE MATERIALS**

SURFACES DESIGNATED TO RECEIVE SSM SHALL BE: CORIAN, COLOR: CLAM SHELL.

- ORN MTL - ORNAMENTAL METALS**

VERTICAL SURFACES DESIGNATED TO RECEIVE ORN MTL SHALL BE: FORMS + SURFACES, STAINLESS STEEL/ECO ETCH, FINISH: SATIN, PATTERN: SEAGRASS.

- SSF - SYNTHETIC STONE FABRICATION**

CASEWORK DESIGNATED TO RECEIVE SSF SHALL BE: SILESTONE BY ZODIAC BY DUPONT, COLOR: CALM SPRING.

- SPECIALTY CASEWORK**

CASEWORK NOT FULLY DESCRIBED BY THE ABOVE INFORMATION IS FURTHER CLARIFIED BY THE COLOR CODE AND SCHEDULE WHICH FOLLOWS:

COLOR CODE

CODE	MANUFACTURER	COLOR NUMBER	COLOR NAME
HPVL-A	LAMIN-ART	925	AMERICAN CHERRY
HPVL-B	LAMIN-ART	981	MODERN MAKORE
HPDL-1	NA	NA	NA
HPDL-2	NA	NA	NA
SSM-1	CORIAN	--	BISQUE
ORN MTL-1	FORMS + SURFACES	--	STAINLESS STEEL/ECO ETCH; SEAGRASS PATTERN; SEASTONE FINISH

CASEWORK SCHEDULE

ROOM NAME	ROOM NUMBERS	TRANSACTION SURFACE	WORKSURFACE	VERTICAL SURFACE
RECEPTION, DAV TRANSPORT/SECURITY	FB1102, FB1103	SSF	SSF	HPVL/ORN MTL
SHARED BREAK/CONFERENCE	FB1104	NA	SSM	HPDL
BREAK ROOM	F103	NA	SSM	HPDL
TRAVEL CLERK	G1118A	NA	SSM	HPDL
VOLUNTEERS LOUNGE	FB1107	NA	SSM	HPDL

**MISCELLANEOUS FINISH NOTES**

- WINDOW SILLS SHALL BE SSM-1, CORIAN, COLOR: BISQUE.
- TACKABLE SURFACE SHALL BE WALLTACKERS TAC-WALL, COLOR: C250-82 QUARRY.
- PLASTIC WALLCOVERING (PWC) SHALL BE CIS ACROVYN, COLOR: 100 EGGSHELL.
- BUMPER RAILS (BR) SHALL BE CIS ACROVYN, COLOR: 100 EGGSHELL.
- VINYL CHAIR RAILS (VCR) SHALL BE CIS ACROVYN, COLOR: 100 EGGSHELL.
- CORNER GUARDS (CG) SHALL BE CIS ACROVYN, COLOR: 100 EGGSHELL.
- INTERIOR SOFFITS DESIGNATED AS P-LL SHALL MATCH ADJACENT FASCIA.
- INTERIOR FASCIAS DESIGNATED AS P-LL SHALL BE PAINTED TO MATCH ADJACENT WALL, UNLESS OTHERWISE NOTED.
- INTERIOR CEILINGS DESIGNATED AS P-B-L-F SHALL BE: CEILING WHITE, LATEX FLAT (LF) FINISH.
- INTERIOR DOOR FRAMES DESIGNATED AS P-C-S-G SHALL BE: SHERWIN WILLIAMS, SW6098 PACER WHITE, LATEX SEMI-GLOSS (SG) FINISH.
- INTERIOR DOORS DESIGNATED AS INTEGRATED WOOD DOOR SYSTEM SHALL BE: SHERWIN WILLIAMS, SW6098 PACER WHITE, LATEX SEMI-GLOSS (SG) FINISH.
- INTERIOR WOOD DOORS NOT IN THE LOBBY SHALL BE: CLEAR WHITE BIRCH, WHITE BIRCH TO MATCH FACILITY STANDARD.
- METAL STAR STRUCTURES DESIGNATED AS P SHALL BE: SCUFFMASTER, EM837R.
- METAL STAR TREADS & RISERS SHALL BE: HANSAUL TERRAZZO TREADS, COLOR: DALTILE INFINITY T258 CRYSTAL GRAY, PERFORATED METAL RISERS. SEE A704 FOR DETAILS.
- SOLID SURFACE INTEGRAL SINK BOWLS SHALL BE: CORIAN, BISQUE.
- METAL LOCKERS SHALL BE: REPUBLIC STORAGE SYSTEMS, COLOR: 67 BLUEBERRY.
- ARCHITECTURAL PATTERN GLASS SHALL BE: SKYLINE DESIGN, SUZANNE TICK GLASS, STYLE: CANTILEVER. GLASS PATTERN SHALL BE ORDERED & INSTALLED IN HORIZONTAL ORIENTATION IN ALL LOCATIONS, EXCEPT RECEPTION DESK FB1102 WHERE GLASS PATTERN SHALL BE IN VERTICAL ORIENTATION.
- THE CONTRACTOR SHALL SUBMIT TO THIS OFFICE ACTUAL SAMPLES IN TRIPLICATE, OF EACH COLOR AND MATERIAL SELECTED BY THE DESIGNER FOR DESIGNER'S VERIFICATION AND APPROVAL NOT LATER THAN TWO (2) WEEKS FROM DATE OF CONTRACT. SAMPLES SHALL BE PROPERLY LABELED BY PROJECT AND CODE.

INTERIOR LOBBY DOORS

ROOM NUMBER	DOOR MATERIAL	FINISH	COMMENTS
FB117	WOOD	ALGOMA, CHERRY FINISH RA-1053	DOOR AT LOBBY & FB117
CB1-20A	WOOD	ALGOMA, CHERRY FINISH RA-1053	DOOR AT LOBBY & CB1-20A
CB1-24	WOOD	ALGOMA, CHERRY FINISH RA-1053	DOOR AT LOBBY & CB1-24
FB1127	WOOD	ALGOMA, CHERRY FINISH RA-1053	
CB1-27	WOOD	ALGOMA, CHERRY FINISH RA-1053	DOOR AT LOBBY & CB1-27
EB1114	WOOD	ALGOMA, CHERRY FINISH RA-1053	
EB1115	WOOD	ALGOMA, CHERRY FINISH RA-1053	
EB1116	WOOD	ALGOMA, CHERRY FINISH RA-1053	
EB1117	WOOD	ALGOMA, CHERRY FINISH RA-1053	
EB1118	WOOD	ALGOMA, CHERRY FINISH RA-1053	


- NOTE: FURTHER INFORMATION IS INCORPORATED IN THE ROOM FINISH SCHEDULE ID101 DATED 11/30/11, AND IN THE DISTRIBUTION PLANS ID209F, ID200W, ID201F, ID201W DATED 11/30/11.
- THE SOLE INTENT OF THIS DOCUMENT IS TO IDENTIFY THE COLOR AND OR FINISH OF THE MATERIALS SPECIFIED. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO NOTIFY TRO OF ANY DISCREPANCIES BETWEEN ANY/ALL DOCUMENTS.
- REFER TO THE ARCHITECTURAL SPECIFICATIONS FOR IMPORTANT INFORMATION REGARDING THE SPECIFIED FINISH MATERIALS AND MANUFACTURERS.
- IT IS THE RESPONSIBILITY OF EACH TRADE TO SUBMIT TO THE ARCHITECT SAMPLES OF ALL MATERIALS, COLORS AND FINISHES SPECIFIED FOR APPROVAL AND VERIFICATION PRIOR TO INSTALLATION.

FULLY SPRINKLERED

three inches = one foot  
one and one half inches = one foot  
one inch = one foot  
one quarter inch = one foot  
one half inch = one foot  
one eighth inch = one foot  
one eighth inch = one foot

Revisions:	Date:

CONSULTANTS:



ARCHITECT/ENGINEERS:  
**brg3s** architects  
11 W. Huling Avenue  
Memphis, Tennessee 38103  
t 901.260.9600  
f 901.531.8042  
w brg3s.com

DRAWING TITLE:  
**INTERIOR FINISH INDEX SHEET**  
SCALE:  
APPROVED PROJECT DIRECTOR:

PROJECT TITLE:  
**VA BUILDING 1A  
ENTRANCE EXPANSION**  
LOCATION:  
**VAMC, Memphis, Tennessee**  
DATE:  
**January 27, 2014**  
CHECKED:  
DRAWN:


PROJECT NUMBER:  
**614-318**  
BUILDING NUMBER:  
**1A**  
DRAWING NUMBER:  
**ID-100**  
DWG. OF











1. THESE DRAWINGS ARE FOR DIAGRAMMATIC PURPOSES AND ILLUSTRATE THE DISTRIBUTION OF ACCENT COLORS ONLY. WHEN NO ACCENT COLOR IS SHOWN, THE BASE COLOR SHALL BE UTILIZED.
2. REFER TO THE ROOM FINISH SCHEDULE AND ARCHITECTURAL SPECIFICATIONS FOR INFORMATION REGARDING THE SPECIFIED FINISH.
3. IT IS THE RESPONSIBILITY OF EACH TRADE TO SUBMIT TO THE ARCHITECT SAMPLES OF ALL MATERIALS, COLORS AND FINISHES SPECIFIED FOR APPROVAL AND VERIFICATION PRIOR TO INSTALLATION.

Floorcovering Symbol Key:  
REFER TO FINISH DISTRIBUTION INDEX SHEET FOR MATERIAL CODE DESIGNATIONS.

- CARPET DISTRIB. SYMB. MATERIAL CODE
- RESILIENT TILE FLOORING DISTRIB. SYMB. MATERIAL CODE
- CERAMIC TILE DISTRIB. SYMB. MATERIAL CODE
- TERRAZZO DISTRIB. SYMB. MATERIAL CODE
- REDUCER/TRANSITION STRIP

1 FIRST FLOOR PLAN-FLOOR FINISH  
SCALE: 1/8" = 1'-0"


FULLY SPRINKLERED

Revisions:	Date:	CONSULTANTS:		<b>ARCHITECT/ENGINEERS:</b> <b>brg3s architects</b> 11 W. Huling Avenue Memphis, Tennessee 38103 t 901.260.9600 f 901.531.8042 w brg3s.com	DRAWING TITLE: FIRST FLOOR - FLOOR FINISH PLAN	PROJECT TITLE: VA BUILDING 1A ENTRANCE EXPANSION	PROJECT NUMBER: 614-318	
					SCALE: 1/8" = 1'-0" APPROVED PROJECT DIRECTOR:	LOCATION: VAMC, Memphis, Tennessee	BUILDING NUMBER: 1A	
					DATE: January 27, 2014	CHECKED:	DRAWN:	DRAWING NUMBER: ID-201F
								DWG. OF


three inches = one foot  
 one and one half inches = one foot  
 one inch = one foot  
 three quarters inch = one foot  
 one half inch = one foot  
 one quarter inch = one foot  
 three eighths inch = one foot  
 one eighth inch = one foot

A  
 B  
 C  
 D  
 E  
 F

three inches = one foot  
 one and one half inches = one foot  
 one inch = one foot  
 three quarters inch = one foot  
 one half inch = one foot  
 three eighths inch = one foot  
 one quarter inch = one foot  
 one eighth inch = one foot



1. THESE DRAWINGS ARE FOR DIAGRAMMATIC PURPOSES AND ILLUSTRATE THE DISTRIBUTION OF ACCENT COLORS ONLY. WHEN NO ACCENT COLORS SHOWN, THE BASE COLOR SHALL BE UTILIZED.
2. REFER TO THE ROOM FINISH SCHEDULE AND ARCHITECTURAL SPECIFICATIONS FOR INFORMATION REGARDING THE SPECIFIED FINISH.
3. IT IS THE RESPONSIBILITY OF EACH TRADE TO SUBMIT TO THE ARCHITECT SAMPLES OF ALL MATERIALS, COLORS AND FINISHES SPECIFIED FOR APPROVAL AND VERIFICATION PRIOR TO INSTALLATION.



1 FIRST FLOOR PLAN-WALL FINISH  
 SCALE: 1/8" = 1'-0"

FULLY SPRINKLERED

Revisions:	Date:	CONSULTANTS:		ARCHITECT/ENGINEERS:	DRAWING TITLE:	PROJECT TITLE:	PROJECT NUMBER:
					11 W. Huling Avenue Memphis, Tennessee 38103 t 901.260.9600 f 901.531.8042 w brg3s.com	FIRST FLOOR - WALL FINISH PLAN	VA BUILDING 1A ENTRANCE EXPANSION
					SCALE: 1/8" = 1'-0"	LOCATION:	BUILDING NUMBER:
					APPROVED PROJECT DIRECTOR:	VAMC, Memphis, Tennessee	1A
						DATE:	DRAWING NUMBER:
						January 27, 2014	ID-201W
						CHECKED:	DWG. OF
						DRAWN:	